

A Multitasking Time Clock for Fast, Easy Data Collection and So Much More

Built for today's modern workforce, the Kronos InTouch® delivers an unrivaled user experience that changes the way employees interact with the workforce management system. The simple touchscreen interface enables employees to clock in and out quickly and easily using a finger, proximity, or badge swipe, and provides a fast, self-service view into work-related information including schedules, time-off requests, and more. Plus, the device's rugged durability, slim profile, and compact, easy-to-mount design make it the ideal time clock for virtually any work environment.

Easy to own, simple to use

The Kronos InTouch is so much more than your average time clock. It's built using proven, durable technology designed to withstand heavy use — day in and day out — even in harsh environments. It provides a simple and intuitive interface for instant engagement and superior usability, and supports a variety of input methods — bar code, magnetic, proximity, keypad, touchscreen, and biometric — to suit your requirements. What's more, it can be easily customized to meet the ever-evolving needs of your diverse, dynamic workforce.

Built for cloud-centric environments

Cloud-based applications such as ours demand secure devices that can be accessed at any time, from anywhere. The Kronos InTouch was designed specifically for today's cloud-centric computing environments. Device-initiated communications allow the device to work over the open Internet and through firewalls while protecting data using SSL encryption. The InTouch supports network communication functionalities for DHCP, Static IPs, IPv4 and IPv6 as well as functionality to enter in a DNS IP when connecting to the WFR servers over a URL.

More than just basic data collection

The Kronos InTouch lets both employees and managers perform a variety of tasks right at the device for increased productivity and convenience. By simply touching an icon on the screen, employees can view their schedules and time-off requests. They can record and view piecework count to monitor progress toward goals and quotas. They can even review, annotate, and submit their timesheets via the InTouch instead of having to log into a computer. Rules-based restrictions at the clock enable organizations to accept or reject punches in real time for increased payroll accuracy and reduced compliance risk.

A time clock for today's modern workforce

Ready for an innovative time clock that helps you get even more value from your workforce management solution? The intuitive, multi-purpose Kronos InTouch is transforming the way organizations think about — and the way employees interact with — their workforce management system. So you can achieve faster employee deployment, improved productivity, and self-service convenience for bottom-line results.



Key Features

- Large 7" touchscreen with wide VGA, full-color LCD: Delivers an unrivaled user experience and extensive functionality for faster adoption and improved productivity.
- Support for all major badge formats: Allows employees to punch using the system that works best for them — and your organization.
- Easy-to-understand LED light indicator: Lets you know via an audible tone and bright green indicator that a punch has been accepted.
- Selectable languages: Supports English, Spanish, French, and/or Dutch simultaneously, enabling a multilingual workforce to share one time clock.
- Optional biometric verification: Prevents buddy punching with Kronos Touch ID™ Plus biometric technology that validates an employee's true identity without badges or PINs.

Kronos InTouch Specifications

User Interface	7" color wVGA Rugged, five-wire resistive touchscreen Multicolor LED indicator Speaker
Integrated Readers	Integrated bar code badge reader Integrated magnetic stripe card reader Integrated HID or EM proximity card reader
Communications	10/100 Mbps auto-sensing Ethernet with DHCP, IPv4, and IPv6 support
CPU Type	TI OMAP 3500
Memory Size	2GB flash, 512MB RAM
Power	100V-240V, 1.5A max, internal or external transformer Integrated power over Ethernet (must comply with the IEEE 802.3AF standard)
Environment	Operating temperature: 0° to 40° Celsius Storage temperature" -20° to 70° Celsius Humidity: 10%–95% noncondensing
Dimensions	10.75" wide x 6" high x 4" deep (standard configuration)
Enclosure	Rugged polycarbonate/ABS resin
Shipping Weight	5 lbs.
Options	Integrated biometric verification and identification module External proximity reader External linear imager bar-code scanner Direct AC wiring Backup battery Universal relay

	Features	InTouch
Connectivity	Does NOT Require MW	Y
	Ethernet	Y
	Modem	—
	Remote	—
	USB	—
Input Method	Bar Code	Y
	Magnetic	Y
	Proximity	Y
	HID	Y
	Biometric	Y
	Touchscreen	Y
	Language	English, Spanish, French, and Dutch
	Data Capacity	EE User Capacity
	MEM Upgrade	—
Views/ Transactions	Levels of Job Costing	—
	Relay — Door	5
	Relay — Bell	Y
	Outdoor Use	—
	Extreme Environment	—
	Validate Users	Y
	Validate Cost Centers	Y
	View Schedule	Y
	View Time-Off Requests	Y
	View Pay Stubs	Y
	View Timecard/Punches	Y
	View Accruals	Y
	Prompt In/Out	Y
	Enter Expenses, Tips, etc.	Y
	Submit Timesheets	Y
Timesheet Corrections	Y	
Request Time-Off	Y	
Exceptions	Y	

Contact our team today to discuss your organization's time and labor management needs!

